

## XENAX® Xvi 75V8S / Xvi 75V8 / Xvi 48V8 Release Notes

| Date       | Firmware | WebMotion | EtherCAT           | Powerlink | CANopen | PROFINET | EtherNet/IP | SMU  | Signateq |
|------------|----------|-----------|--------------------|-----------|---------|----------|-------------|------|----------|
| 03.03.2026 | 5.26A    | 6.26      | SW 2.76<br>HW 0x11 | 2.94      | 2.94    | 3.50     | 2.28        | 1.11 | 2.01     |
| 16.05.2024 | 5.26A    | 6.26      | SW 2.76<br>HW 0x11 | 2.94      | 2.94    | 3.50     | 2.28        | 1.10 | 2.01     |
| 14.05.2024 | 5.26     | 6.26      | SW 2.76<br>HW 0x11 | 2.94      | 2.94    | 3.50     | 2.28        | 1.10 | 2.01     |
| 19.03.2024 | 5.24     | 6.24      | SW 2.76<br>HW 0x11 | 2.94      | 2.94    | 3.50     | 2.28        | 1.09 | 2.01     |
| 01.03.2024 | 5.22A    | 6.22      | SW 2.76<br>HW 0x11 | 2.94      | 2.94    | 3.50     | 2.28        | 1.09 | 2.01     |
| 09.02.2024 | 5.22     | 6.22      | SW 2.76<br>HW 0x11 | 2.94      | 2.94    | 3.50     | 2.28        | 1.09 | 2.01     |
| 11.12.2023 | 5.20B    | 6.20      | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 04.12.2023 | 5.20A    | 6.20      | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 28.11.2023 | 5.20     | 6.20      | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 13.11.2023 | 5.18A    | 6.18      | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 26.09.2023 | 5.18     | 6.18      | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 17.07.2023 | 5.16     | 6.16      | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 24.05.2023 | 5.14B    | 6.14B     | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 09.05.2023 | 5.14A    | 6.14A     | SW 2.76<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 17.04.2023 | 5.14     | 6.14      | SW 2.74<br>HW 0x11 | 2.92      | 2.92    | 3.40     | 2.26        | 1.09 | 2.01     |
| 05.04.2023 | 5.12     | 6.12      | SW 2.72<br>HW 0x11 | 2.90      | 2.90    | 3.30     | 2.24        | 1.09 | 2.01     |
| 19.12.2022 | 5.10G    | 6.10G     | SW 2.72<br>HW 0x11 | 2.90      | 2.90    | 3.30     | 2.24        | 1.08 | 2.01     |
| 09.11.2022 | 5.10F    | 6.10F     | SW 2.72<br>HW 0x11 | 2.90      | 2.90    | 3.30     | 2.24        | 1.08 | 2.01     |
| 07.09.2022 | 5.10E    | 6.10E     | SW 2.72<br>HW 0x11 | 2.90      | 2.90    | 3.30     | 2.24        | 1.08 | 2.01     |
| 08.08.2022 | 5.10D    | 6.10D     | SW 2.72<br>HW 0x11 | 2.90      | 2.90    | 3.30     | 2.24        | 1.08 | 2.01     |

| Date       | Firmware | WebMotion | EtherCAT           | Powerlink | CANopen | PROFINET | EtherNet/IP | SMU  | Signateq |
|------------|----------|-----------|--------------------|-----------|---------|----------|-------------|------|----------|
| 09.06.2022 | 5.10C    | 6.10C     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.08 | 2.01     |
| 14.02.2022 | 5.10B    | 6.10B     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.08 | 2.01     |
| 07.01.2022 | 5.10     | 6.10A     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.08 | 2.01     |
| 17.12.2021 | 5.10     | 6.10      | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.08 | 2.01     |
| 10.12.2021 | 5.08F    | 6.06F     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.08 | 2.00     |
| 12.11.2021 | 5.08E    | 6.06E     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.08 | 2.00     |
| 03.11.2021 | 5.08E    | 6.06E     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.07 | 2.00     |
| 22.10.2021 | 5.08D    | 6.06D     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.07 | 2.00     |
| 20.10.2021 | 5.08C    | 6.06A     | SW 2.70<br>HW 0x11 | 2.88      | 2.88    | 3.20     | 2.22        | 1.07 | 2.00     |
| 04.10.2021 | 5.08C    | 6.06A     | SW 2.68<br>HW 0x11 | 2.86      | 2.86    | 3.10     | 2.20        | 1.07 | 2.00     |
| 19.08.2021 | 5.08B    | 6.06A     | SW 2.68<br>HW 0x11 | 2.86      | 2.86    | 3.10     | 2.20        | 1.07 | 2.00     |
| 13.07.2021 | 5.08B    | 6.06      | SW 2.68<br>HW 0x11 | 2.86      | 2.86    | 3.10     | 2.20        | 1.07 | 2.00     |
| 01.07.2021 | 5.08B    | 6.06      | SW 2.68<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 | 2.00     |
| 11.06.2021 | 5.08A    | 6.06      | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 | 2.00     |
| 28.05.2021 | 5.08     | 6.06      | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 | 2.00     |
| 06.05.2021 | 5.06G    | 6.04F     | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |
| 09.04.2021 | 5.06F    | 6.04F     | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |
| 05.01.2021 | 5.06E    | 6.04D     | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |
| 04.12.2020 | 5.06D    | 6.04D     | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |
| 27.11.2020 | 5.06C    | 6.04B     | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |
| 22.09.2020 | 5.06B    | 6.04B     | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |
| 21.07.2020 | 5.06A    | 6.04A     | SW 2.66            | 2.84      | 2.84    | 3.00     | 2.18        | 1.07 |          |

| Date       | Firmware | WebMotion | EtherCAT           | Powerlink | CANopen | PROFINET        | EtherNet/IP | SMU  | Signateq |
|------------|----------|-----------|--------------------|-----------|---------|-----------------|-------------|------|----------|
| 21.07.2020 | 5.06A    | 6.04A     | HW 0x11            | 2.84      | 2.84    | 3.00            | 2.18        | 1.07 |          |
| 10.07.2020 | 5.06     | 6.04      | SW 2.66<br>HW 0x11 | 2.84      | 2.84    | 3.00            | 2.18        | 1.07 |          |
| 01.07.2020 | 5.04B    | 6.02      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.16        | 1.07 |          |
| 25.06.2020 | 5.04A    | 6.02      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.16        | 1.07 |          |
| 15.06.2020 | 5.04     | 6.02      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.16        | 1.07 |          |
| 12.06.2020 | 5.02A    | 6.02      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 29.05.2020 | 5.02     | 6.02      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 08.05.2020 | 5.00     | 6.00      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 09.03.2020 | 4.16     | 5.84      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 03.02.2020 | 4.16     | 5.84      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 29.11.2019 | 4.14A    | 5.82B     | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 13.11.2019 | 4.14     | 5.82A     | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 11.11.2019 | 4.14     | 5.82      | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 10.11.2019 | 4.12C    | 5.80B     | SW 2.64<br>HW 0x11 | 2.82      | 2.82    | 2.40<br>HW 0x10 | 2.14        | 1.07 |          |
| 18.10.2019 | 4.12B    | 5.80B     | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 24.09.2019 | 4.12A    | 5.80      | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 03.09.2019 | 4.12     | 5.80      | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 23.07.2019 | 4.10B    | 5.78B     | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 25.06.2019 | 4.10A    | 5.78A     | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 23.04.2019 | 4.10     | 5.78      | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 24.01.2019 | 4.08E    | 5.76B     | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 21.01.2019 | 4.08D    | 5.76B     | SW 2.62<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |

| Date       | Firmware | WebMotion | EtherCAT           | Powerlink | CANopen | PROFINET        | EtherNet/IP | SMU  | Signateq |
|------------|----------|-----------|--------------------|-----------|---------|-----------------|-------------|------|----------|
| 29.10.2018 | 4.08D    | 5.76B     | SW 2.60<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 09.10.2018 | 4.08C    | 5.76A     | SW 2.60<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 13.07.2018 | 4.08B    | 5.76      | SW 2.60<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 02.07.2018 | 4.08A    | 5.76      | SW 2.60<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 14.05.2018 | 4.08     | 5.76      | SW 2.60<br>HW 0x11 | 2.80      | 2.80    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 13.03.2018 | 4.06K    | 5.74G     | SW 2.40<br>HW 0x11 | 2.62      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 28.02.2018 | 4.06K    | 5.74G     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.07 |          |
| 13.02.2018 | 4.06K    | 5.74G     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 01.02.2018 | 4.06J    | 5.74G     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 23.01.2018 | 4.06I    | 5.74G     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 20.12.2017 | 4.06H    | 5.74F     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 19.12.2017 | 4.06G    | 5.74E     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 01.11.2017 | 4.06F    | 5.74D     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 18.09.2017 | 4.06E    | 5.74B     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 12.09.2017 | 4.06D    | 5.74B     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 28.06.2017 | 4.06C    | 5.74A     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 27.06.2017 | 4.06B    | 5.74A     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 23.06.2017 | 4.06A    | 5.74A     | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 20.06.2017 | 4.06     | 5.74      | SW 2.40<br>HW 0x11 | 2.60      | 2.60    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 22.05.2017 | 4.04D    | 5.72C     | SW 2.21<br>HW 0x11 | 2.41      | 2.41    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 28.03.2017 | 4.04C    | 5.72C     | SW 2.21<br>HW 0x11 | 2.41      | 2.41    | 2.40<br>HW 0x10 | 2.12        | 1.06 |          |
| 10.02.2017 | 4.04B    | 5.72B     | SW 2.21            | 2.41      | 2.41    | 2.40            | 2.12        | 1.06 |          |

| Date       | Firmware | WebMotion | EtherCAT | Powerlink | CANopen | PROFINET | EtherNet/IP | SMU  | Signateq |
|------------|----------|-----------|----------|-----------|---------|----------|-------------|------|----------|
| 10.02.2017 | 4.04B    | 5.72B     | HW 0x11  | 2.41      | 2.41    | HW 0x10  | 2.12        | 1.06 |          |
| 30.11.2016 | 4.04A    | 5.72A     | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 07.11.2016 | 4.04A    | 5.72      | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 02.11.2016 | 4.04     | 5.72      | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 03.10.2016 | 4.02B    | 5.70      | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 31.08.2016 | 4.02A    | 5.70      | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 08.07.2016 | 4.02     | 5.70      | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 13.05.2016 | 4.00D    | 5.68C     | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 29.04.2016 | 4.00D    | 5.68B     | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 21.04.2016 | 4.00C    | 5.68B     | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.12        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 11.12.2015 | 4.00     | 5.68      | SW 2.21  | 2.41      | 2.41    | 2.40     | 2.11        | 1.06 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 21.09.2015 | 3.68I    | 5.65F     | SW 2.0   | 2.2       | 2.2     | 2.40     | 1.1         | 1.05 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 17.08.2015 | 3.68H    | 5.65E     | SW 2.0   | 2.2       | 2.2     | 2.40     | 1.1         | 1.05 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 29.07.2015 | 3.68G    | 5.65E     | SW 2.0   | 2.2       | 2.2     | 2.40     | 1.1         | 1.05 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 02.07.2015 | 3.68F    | 5.65E     | SW 2.0   | 2.2       | 2.2     | 2.40     | 1.1         | 1.05 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 12.05.2015 | 3.68E    | 5.65D     | SW 2.0   | 2.2       | 2.2     | 2.40     | 1.1         | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 15.04.2015 | 3.68C    | 5.65B     | SW 2.0   | 2.2       | 2.2     | 2.40     | 1.1         | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 09.02.2015 | 3.68B    | 5.64      | SW 2.0   | 2.2       | 2.2     | 2.40     |             | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 23.12.2014 | 3.68A    | 5.64      | SW 2.0   | 2.2       | 2.2     | 2.40     |             | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 14.11.2014 | 3.68     | 5.64      | SW 1.8   | 2.0       | 2.0     | 2.40     |             | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 27.08.2014 | 3.64F    | 5.61      | SW 1.8   | 2.0       | 2.0     | 2.40     |             | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |
| 22.08.2014 | 3.64E    | 5.61      | SW 1.8   | 2.0       | 2.0     | 2.40     |             | 1.04 |          |
|            |          |           | HW 0x11  |           |         | HW 0x10  |             |      |          |

| Date       | Firmware                                 | WebMotion | EtherCAT          | Powerlink | CANopen | PROFINET        | EtherNet/IP | SMU  | Signateq |
|------------|------------------------------------------|-----------|-------------------|-----------|---------|-----------------|-------------|------|----------|
| 25.07.2014 | 3.64D                                    | 5.61      | SW 1.8<br>HW 0x11 | 2.0       | 2.0     | 2.40<br>HW 0x10 |             | 1.03 |          |
|            | 3.64                                     | 5.6       | SW 1.8<br>HW 0x11 | 1.8       | 2.0     | 2.40<br>HW 0x10 |             | 1.03 |          |
|            | 3.62C                                    | 5.58      | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             | 1.01 |          |
|            | 3.62B                                    | 5.58      | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             | 1    |          |
|            | 3.62A                                    | 5.58      | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             | 1    |          |
|            | 3.62                                     | 5.58      | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             | 1    |          |
|            | 3.60B                                    | 5.56      | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             |      |          |
|            | 3.60<br>minimal<br>Version for<br>HW 4.0 | 5.56      | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             |      |          |
|            | 3.58F                                    | 5.4       | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             |      |          |
|            | 3.58                                     | 5.4       | SW 1.6<br>HW 0x11 | 1.2       | 1.6     | 2.40<br>HW 0x10 |             |      |          |
|            | 3.58                                     | 5.4       | SW 1.6<br>HW 0x11 | 1.6       | 1.6     | 2.40<br>HW 0x10 |             |      |          |
|            | 3.58                                     | 5.4       | SW 1.6<br>HW 0x11 | 1.6       | 1.8     | 2.40<br>HW 0x10 |             |      |          |
|            | 3.56                                     | 5.0       | SW 1.3<br>HW 0x01 | 1.2       | 1.2     |                 |             |      |          |
|            | 3.54A                                    | 4.44      | 1.3               | 1.2       | 1.2     |                 |             |      |          |
|            | 3.54A                                    | 4.46      | 1.3               | 1.2       | 1.2     |                 |             |      |          |
|            | 3.54                                     | 4.44      | 1.3               | 1.2       | 1.2     |                 |             |      |          |
|            | 3.52E                                    | 4.44      | 1.3               | 1.2       | 1.1     |                 |             |      |          |
|            | 3.52E                                    | 4.44      | 1.3               | 1.2       | 1.2     |                 |             |      |          |
|            | 3.52D                                    | 4.44      | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.52C                                    | 4.42      | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.52                                     | 4.42      | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.48K                                    | 4.40G     | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.48H                                    | 4.40F     | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.48H                                    | 4.40G     | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.48G                                    | 4.40F     | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.48E                                    | 4.40F     | 1.3               | 0.2       | 1.1     |                 |             |      |          |
|            | 3.48                                     | 4.40 E    | 1.3               | 0.2       | 1.1     |                 |             |      |          |

| Date | Firmware | WebMotion | EtherCAT | Powerlink | CANopen | PROFINET | EtherNet/IP | SMU | Signateq |
|------|----------|-----------|----------|-----------|---------|----------|-------------|-----|----------|
|      | 3.46A    | 4.40 E    | 1.3      | 0.2       | 1.1     |          |             |     |          |
|      | 3.46     | 4.40 E    | 1.3      | 0.2       | 1       |          |             |     |          |
|      | 3.45     | 4.40 E    | 1.2      |           | 1       |          |             |     |          |
|      | 3.44P    | 4.40 E    | 1.2      |           | 1       |          |             |     |          |
|      | 3.44M    | 4.40 E    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44M    | 4.40 E    | 1.1      |           | 1       |          |             |     |          |
|      | 3.44L    | 4.40 E    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 K   | 4.40 E    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 J   | 4.40 E    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 H   | 4.40 D    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 G   | 4.40 C    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 E   | 4.40 B    | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 D   | 4.4       | 0.16     |           | 1       |          |             |     |          |
|      | 3.44 C   | 4.4       | 0.16     |           | 1       |          |             |     |          |
|      | 3.44     | 4.4       | 0.15     |           | 1       |          |             |     |          |
|      | 3.42     | 4.33      | 0.15     |           | 1       |          |             |     |          |
|      | 3.42     | 4.34      | 0.15     |           | 1       |          |             |     |          |
|      | 3.42     | 4.35      | 0.15     |           | 1       |          |             |     |          |